

according to 1907/2006/EC, Article 31

Page 1/9 Printing date 06.02.2020 Revision: 06.02.2020 Version number 1

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: Stainless Steel Polish
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against \cdot Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance / the mixture Polishing agent/ Burnishing compound Cleaning agent/ Cleaner

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstr. 22 42655 SOLINGEN Germany Tel.: +49 (0)212 - 2718-0 Fax: +49 (0)212 - 208795 www.autosol.de www.dursol.de

- Further information obtainable from: Abteilung Produktsicherheit labor@autosol.de
- **1.4 Emergency telephone number:** +49 (0)212 - 2718-0 8.00 - 16.00 h

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





according to 1907/2006/EC, Article 31

Page 2/9

Printing date 06.02.2020 Revision: 06.02.2020 Version number 1

Trade name: Stainless Steel Polish

.	(Contd. of page 1)
· Signal word W	8
 Hazard statem 	ients
H315 Causes s	skin irritation.
H319 Causes s	serious eye irritation.
H412 Harmful 1	to aquatic life with long lasting effects.
• Precautionary	statements
P102	Keep out of reach of children.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
· Additional info	ormation: Keep out of reach of children.
· 2.3 Other haza	ards
· Results of PB	T and vPvB assessment
• PBT: Not appli	cable.
D D D Not on	

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components:

Γ

Bungerous components.			
EC number: 920-750-0	Naphtha (petroleum), hydrotreated light	10-25%	
Reg.nr.: 01-2119473851-33-xxxx			
EC number: 919-164-8 Reg.nr.: 701-2119473977-17-XXXX	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclenes, Aromatics (2-25%)	1-10%	
	STOT RE 1, H372; Asp. Tox. 1, H304; () Acute Tox. 4, H332; Aquatic Chronic 3, H412		
CAS: 64-17-5	ethanol	1-10%	
EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	🚸 Flam. Liq. 2, H225; 🔱 Eye Irrit. 2, H319		
Additional information. For the wording of the listed beyond abrance refer to conting 10			

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.



according to 1907/2006/EC, Article 31

Page 3/9 Printing date 06.02.2020 Revision: 06.02.2020 Version number 1

(Contd. of page 2)

Trade name: Stainless Steel Polish

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Page 4/9 Printing date 06.02.2020 Revision: 06.02.2020 Version number 1

(Contd. of page 3)

Trade name: Stainless Steel Polish

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:
64-17-5 ethanol
WEL Long-term value: 1920 mg/m ³ , 1000 ppm
· Additional information: The lists valid during the making were used as basis.
· 8.2 Exposure controls
· Personal protective equipment:
General protective and hygienic measures:
The usual precautionary measures are to be adhered to when handling chemicals.
Wash hands before breaks and at the end of work.
· Respiratory protection: Not necessary if room is well-ventilated.
· Protection of hands:
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the
degradation
· Material of gloves
Recommended thickness of the material: ≥ 0.5 mm

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties			
9.1 Information on basic physical and chemical properties General Information			
· Appearance:			
Form:	Pasty		
Colour:	White		
Odour:	Characteristic		
Odour threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/freezing point:	Undetermined.		
Initial boiling point and boiling range	e: 100 °C		
Flash point:	>100 °C		
			(Contd. on page



according to 1907/2006/EC, Article 31

Page 5/9 Printing date 06.02.2020 Revision: 06.02.2020 Version number 1

Trade name: Stainless Steel Polish

	(Contd. of page 4)
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1.048 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic at 40 °C:	Not determined. 21 mm²/s
 Solvent content: Organic solvents: Water: 	27.1 % 31.8 %
Solids content: • 9.2 Other information	33.0 % No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.



according to 1907/2006/EC, Article 31

Page 6/9 Printing date 06.02.2020 Revision: 06.02.2020 Version number 1

Trade name: Stainless Steel Polish

		(Contd. of page 5)	
· LD/LC50 \	· LD/LC50 values relevant for classification:		
Naphtha (petroleum)	, hydrotreated light	
Oral	LD50	5,000 mg/kg (rat)	
Dermal	LD50	2,800 mg/kg (rabbit)	
Inhalative	LC50 (4 h)	>23.3 mg/l (rat)	
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	LC50 (4 h)	4,951 mg/l (rat)	
Hydrocarl	oons, C11-0	C14, n-alkanes, iso-alkanes, cyclics, <2% aromatics	
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	LC50 (4 h)	>5,000 mg/l (rat)	
64-17-5 et	64-17-5 ethanol		
Oral	LD50	7,060 mg/kg (rat)	
Inhalative	LC50 (4 h)	20,000 mg/l (rat)	
· Primary ir	Primary irritant effect:		

- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Hydrocarbo aromatics	ns, C10-C13, n-alkanes, isoalkanes, cyclics, <2%	
EC50	>1,000 mg/l (daphnia)	
LC50 (96 h)	>1,000 mg/l (Oncorhynchus mykiss)	
· 12.3 Bioacc	ence and degradability No further relevant information available. umulative potential No further relevant information available. y in soil No further relevant information available.	
		(Contd. on page 7



according to 1907/2006/EC, Article 31

Page 7/9 Printing date 06.02.2020 Revision: 06.02.2020 Version number 1

(Contd. of page 6)

Trade name: Stainless Steel Polish

- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

07 06 04* other organic solvents, washing liquids and mother liquors

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Annex Marpol and the IBC Code 	k II of Not applicable.	
		(Contd on page 8)



according to 1907/2006/EC, Article 31

Page 8/9 Printing date 06.02.2020 Revision: 06.02.2020 Version number 1

(Contd. of page 7)

Trade name: Stainless Steel Polish

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS:

Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstraße 22 42655 Solingen Germany Abteilung F&E / Produktsicherheit **Contact:** labor@autosol.de

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Page 9/9 Printing date 06.02.2020 Revision: 06.02.2020 Version number 1

Trade name: Stainless Steel Polish

Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

– GB —

(Contd. of page 8)